



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5394880
Dated/दिनांक : 22-10-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	11-11-2024 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	11-11-2024 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Delhi
Department Name/विभाग का नाम	Health And Family Welfare Department Delhi
Organisation Name/संगठन का नाम	Chacha Nehru Bal Chikitsalaya
Office Name/कार्यालय का नाम	East
Total Quantity/कुल मात्रा	31
Item Category/मद केटेगरी	Laparoscopic Dissecting Forcep (Q3) , Laparoscopic Grasping Forcep (Q3) , Laparoscopic Scissors (Q3) , Laparoscopic Suction and Irrigation (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	2 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders

Bid Details/बिड विवरण	
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Laparoscopic Dissecting Forcep
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	335045.46
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Laparoscopic Dissecting Forcep (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	Type of hand instrument	Traumatic, Atraumatic, NA
	No of parts of the instrument can be dismantled into for easy cleaning	3
	Type of handle	Ratchet, Non-ratchet, De-activatable ratchet
	The diameter of the shaft(in mm)	5
	Shaft length(in mm)	270-320
	Jaw Length(in mm)	5-10, 11-20, 21-30, 31 & above

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Action of the Jaw	Single-Action, Double-action
	Shape of Jaw	Curved, Straight, Right angled
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes, No Or higher
	Warranty in years	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	2	15

Laparoscopic Dissecting Forcep (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	Type of hand instrument	Traumatic, Atraumatic, NA
	No of parts of the instrument can be dismantled into for easy cleaning	3
	Type of handle	Ratchet, Non-ratchet, De-activatable ratchet
	The diameter of the shaft(in mm)	5
	Shaft length(in mm)	270-320, 330-360
	Jaw Length(in mm)	5-10, 11-20, 21-30, 31 & above

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Action of the Jaw	Single-Action, Double-action
	Shape of Jaw	Right angled
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes, No Or higher
	Warranty in years	1

Additional Specification Parameters - Laparoscopic Dissecting Forcep (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Shaft length(in mm)	270-320

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	2	15

Laparoscopic Dissecting Forcep (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	Type of hand instrument	Traumatic, Atraumatic, NA
	No of parts of the instrument can be dismantled into for easy cleaning	2, 3, NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Type of handle	Ratchet, Non-ratchet, De-activatable ratchet
	The diameter of the shaft(in mm)	2.5-3
	Shaft length(in mm)	150-160, 170-220
	Jaw Length(in mm)	5-10, 11-20, 21-30, 31 & above
	Action of the Jaw	Single-Action, Double-action
	Shape of Jaw	Right angled
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes Or higher
	Warranty in years	1

Additional Specification Parameters - Laparoscopic Dissecting Forcep (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Shaft length(in mm)	170-220
No of parts of the instrument can be dismantled into for easy cleaning	2

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	2	15

Laparoscopic Dissecting Forcep (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	Type of hand instrument	Traumatic, Atraumatic, NA
	No of parts of the instrument can be dismantled into for easy cleaning	2, 3
	Type of handle	Ratchet, Non-ratchet, De-activatable ratchet
	The diameter of the shaft(in mm)	2.5-3
	Shaft length(in mm)	170-220
	Jaw Length(in mm)	5-10, 11-20, 21-30, 31 & above
	Action of the Jaw	Single-Action, Double-action
	Shape of Jaw	Curved, Right angled
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes Or higher
	Warranty in years	2

Additional Specification Parameters - Laparoscopic Dissecting Forcep (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
No of parts of the instrument can be dismantled into for easy cleaning	2
Warranty in years	1

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	2	15

Laparoscopic Grasping Forcep (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	Type of hand instrument	Traumatic, Atraumatic
	No of parts the instrument can be dismantled into for easy cleaning	3
	Should be insulated with pin for ESU connection	Unipolar, Bipolar, NA
	Type of handle	Ratchet, Non-ratchet
	The diameter of the shaft(in mm)	5
	Shaft length(in mm)	270-320, 330-360
	Type of Jaw	Fenestrated, Non-Fenestrated
	Action of the Jaw	Single-Action, Double-action
	Shape of Jaw	Babcock
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes, No Or higher
	Warranty in years	1

Additional Specification Parameters - Laparoscopic Grasping Forcep (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Shaft length(in mm)	270-320

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	2	15

Laparoscopic Grasping Forcep (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	Type of hand instrument	Traumatic, Atraumatic
	No of parts the instrument can be dismantled into for easy cleaning	2, 3
	Should be insulated with pin for ESU connection	Unipolar, Bipolar, NA
	Type of handle	Ratchet, Deactivatable Ratchet
	The diameter of the shaft(in mm)	3-4
	Shaft length(in mm)	170-220, 270-320
	Type of Jaw	Fenestrated, Non-Fenestrated
	Action of the Jaw	Single-Action, Double-action
	Shape of Jaw	Babcock
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes, No Or higher
	Warranty in years	1

Additional Specification Parameters - Laparoscopic Grasping Forcep (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
No of parts the instrument can be dismantled into for easy cleaning	2
The diameter of the shaft(in mm)	3
Shaft length(in mm)	170-220

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	1	15

Laparoscopic Grasping Forcep (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	Type of hand instrument	Atraumatic
	No of parts the instrument can be dismantled into for easy cleaning	3
	Should be insulated with pin for ESU connection	Unipolar, Bipolar, NA
	Type of handle	Ratchet
	The diameter of the shaft(in mm)	5
	Shaft length(in mm)	270-320
	Type of Jaw	Fenestrated
	Action of the Jaw	Double-action
	Shape of Jaw	Straight

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes, No Or higher
	Warranty in years	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	2	15

Laparoscopic Grasping Forcep (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	Type of hand instrument	Traumatic, Atraumatic
	No of parts the instrument can be dismantled into for easy cleaning	3
	Should be insulated with pin for ESU connection	Unipolar, Bipolar, NA
	Type of handle	Ratchet, Non-ratchet
	The diameter of the shaft(in mm)	5
	Shaft length(in mm)	150-160, 170-220, 270-320, 330-360, 430-460
	Type of Jaw	Fenestrated, Non-Fenestrated
	Action of the Jaw	Single-Action

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Shape of Jaw	Straight
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes, No Or higher
	Warranty in years	1

Additional Specification Parameters - Laparoscopic Grasping Forcep (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Shaft length(in mm)	270-320

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	2	15

Laparoscopic Grasping Forcep (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	Type of hand instrument	Atraumatic
	No of parts the instrument can be dismantled into for easy cleaning	3
	Should be insulated with pin for ESU connection	Unipolar, Bipolar, NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Type of handle	Ratchet, Non-ratchet, Deactivatable Ratchet
	The diameter of the shaft(in mm)	3-4
	Shaft length(in mm)	170-220
	Type of Jaw	Fenestrated
	Action of the Jaw	Double-action
	Shape of Jaw	Straight
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes, No Or higher
	Warranty in years	1, 2, 3, NA in case of disposable unit

Additional Specification Parameters - Laparoscopic Grasping Forcep (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
No of parts the instrument can be dismantled into for easy cleaning	2
The diameter of the shaft(in mm)	3
Warranty in years	1

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	1	15

Laparoscopic Grasping Forcep (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	Type of hand instrument	Atraumatic
	No of parts the instrument can be dismantled into for easy cleaning	2, 3, 4, NA
	Should be insulated with pin for ESU connection	Unipolar, Bipolar, NA
	Type of handle	Ratchet, Non-ratchet, Deactivatable Ratchet
	The diameter of the shaft(in mm)	3-4
	Shaft length(in mm)	170-220
	Type of Jaw	Fenestrated
	Action of the Jaw	Single-Action
	Shape of Jaw	Straight
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes, No Or higher
	Warranty in years	1, 2, 3, NA in case of disposable unit

Additional Specification Parameters - Laparoscopic Grasping Forcep (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
No of parts the instrument can be dismantled into for easy cleaning	2
The diameter of the shaft(in mm)	3
Warranty in years	1

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	2	15

Laparoscopic Grasping Forcep (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	Type of hand instrument	Traumatic, Atraumatic
	No of parts the instrument can be dismantled into for easy cleaning	3
	Should be insulated with pin for ESU connection	Unipolar, Bipolar, NA
	Type of handle	Ratchet
	The diameter of the shaft(in mm)	5
	Shaft length(in mm)	150-160, 170-220, 270-320, 330-360, 430-460
	Type of Jaw	Fenestrated, Non-Fenestrated
	Action of the Jaw	Double-action
	Shape of Jaw	Allis
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes Or higher
	Warranty in years	1

Additional Specification Parameters - Laparoscopic Grasping Forcep (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Shaft length(in mm)	270-320

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	1	15

Laparoscopic Grasping Forcep (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	Type of hand instrument	Traumatic, Atraumatic
	No of parts the instrument can be dismantled into for easy cleaning	3
	Should be insulated with pin for ESU connection	Unipolar, Bipolar, NA
	Type of handle	Ratchet, Non-ratchet, Deactivatable Ratchet
	The diameter of the shaft(in mm)	3-4
	Shaft length(in mm)	170-220
	Type of Jaw	Fenestrated, Non-Fenestrated
	Action of the Jaw	Single-Action, Double-action
	Shape of Jaw	Allis
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes Or higher
	Warranty in years	1, 2, 3, NA in case of disposable unit

Additional Specification Parameters - Laparoscopic Grasping Forcep (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
No of parts the instrument can be dismantled into for easy cleaning	2
The diameter of the shaft(in mm)	3
Warranty in years	1

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	1	15

Laparoscopic Grasping Forcep (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	Type of hand instrument	Atraumatic
	No of parts the instrument can be dismantled into for easy cleaning	3
	Should be insulated with pin for ESU connection	Unipolar, Bipolar, NA
	Type of handle	Ratchet
	The diameter of the shaft(in mm)	5
	Shaft length(in mm)	270-320
	Type of Jaw	Fenestrated

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Action of the Jaw	Single-Action, Double-action
	Shape of Jaw	Bowel grasper
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes, No Or higher
	Warranty in years	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	2	15

Laparoscopic Grasping Forcep (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	Type of hand instrument	Atraumatic
	No of parts the instrument can be dismantled into for easy cleaning	3
	Should be insulated with pin for ESU connection	Unipolar, Bipolar, NA
	Type of handle	Ratchet, Non-ratchet, Deactivatable Ratchet
	The diameter of the shaft(in mm)	3-4
	Shaft length(in mm)	170-220

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Type of Jaw	Fenestrated
	Action of the Jaw	Double-action
	Shape of Jaw	Bowel grasper
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes Or higher
	Warranty in years	1, 2, 3, NA in case of disposable unit

Additional Specification Parameters - Laparoscopic Grasping Forcep (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
No of parts the instrument can be dismantled into for easy cleaning	2
The diameter of the shaft(in mm)	3
Warranty in years	1

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	2	15

Laparoscopic Scissors (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	No of parts of the instrument can be dismantled into for easy cleaning	2, 3, 4
	Rotatability (in degree)	360 degree
	The diameter of the shaft(in mm)	5
	Shaft length(in mm)	270-320
	Action of the Jaw	Double-action
	Shape of the jaw	curved & blunt
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes, No Or higher
	Warranty in years	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	1	15

Laparoscopic Scissors (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	No of parts of the instrument can be dismantled into for easy cleaning	2, 3, 4
	Rotatability (in degree)	360 degree
	The diameter of the shaft(in mm)	2.5-3
	Shaft length(in mm)	170-220
	Action of the Jaw	Double-action
	Shape of the jaw	curved & blunt
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes Or higher
	Warranty in years	1

Additional Specification Parameters - Laparoscopic Scissors (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
No of parts of the instrument can be dismantled into for easy cleaning	2
The diameter of the shaft(in mm)	3

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	1	15

Laparoscopic Scissors (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	No of parts of the instrument can be dismantled into for easy cleaning	3
	Rotatability (in degree)	360 degree
	The diameter of the shaft(in mm)	5
	Shaft length(in mm)	150-160, 170-220, 230-260, 270-320, 330-360, 430-460
	Action of the Jaw	Single-Action
	Shape of the jaw	hook type
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes Or higher
	Warranty in years	1

Additional Specification Parameters - Laparoscopic Scissors (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Shaft length(in mm)	270-320

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	2	15

Laparoscopic Scissors (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	No of parts of the instrument can be dismantled into for easy cleaning	2, 3, 4
	Rotatability (in degree)	360 degree
	The diameter of the shaft(in mm)	2.5-3
	Shaft length(in mm)	170-220
	Action of the Jaw	Single-Action
	Shape of the jaw	hook type
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes Or higher
	Warranty in years	1

Additional Specification Parameters - Laparoscopic Scissors (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
No of parts of the instrument can be dismantled into for easy cleaning	2

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	1	15

Laparoscopic Suction And Irrigation (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameter	Dismantible designed for easy cleaning and replacibility	Yes Or higher
	No of parts of the instrument can be dismantled into for easy cleaning	2, 3, NA
	The diameter suction/irrigation cannula (in mm)	5
	Type of control	Rotating control lever
	Length of suction irrigation tube(in mm)	200-270, 330-370, 400-460
	Tip of cannula	Guarded, Unguarded, Closed
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes Or higher
	Warranty in years	1, 2

Additional Specification Parameters - Laparoscopic Suction And Irrigation (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Length of suction irrigation tube(in mm)	270-320

Specification Parameter Name	Bid Requirement (Allowed Values)
Warranty in years	1

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	1	15

Laparoscopic Suction And Irrigation (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameter	Dismantible designed for easy cleaning and replacibility	Yes Or higher
	No of parts of the instrument can be dismantled into for easy cleaning	2, 3, NA
	The diameter suction/irrigation cannula (in mm)	3-4
	Type of control	Rotating control lever
	Length of suction irrigation tube(in mm)	200-270, 330-370, 400-460
	Tip of cannula	Guarded, Unguarded, Closed
Reports	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes, No Or higher
	Warranty in years	1

Additional Specification Parameters - Laparoscopic Suction And Irrigation (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Length of suction irrigation tube(in mm)	190-220
The diameter suction/irrigation cannula (in mm)	3

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravinder Pal Singh Dhingra	110031,Raja Ram Kohli Marg Geeta colony	1	15

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Provisions for workmen compensation, insurance, public liability, property damage, insurance etc. to be ensured by the contractor. Also, safety measures prescribed for working in Extra High Voltage & use of personnel protective equipment must be adhered to.

3. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

4. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

5. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

6. OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

7. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Chacha
Nehru
Bal
Chikitsalaya
Geeta Colony, Delhi-110031

8. **Generic**

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

9. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

10. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

11. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

12. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

The bidder has to provide demonstration of the quoted product for technical evaluation within a week from date of communication on GeM Portal.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any

- Category item bunched with it.
4. Creating BoQ bid for single item.
 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
 7. Floating / creation of work contracts as Custom Bids in Services.
 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
 11. Creating bid for items from irrelevant categories.
 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
 13. Reference of conditions published on any external site or reference to external documents/clauses.
 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---